

PRODUCT-DETAILS

FH202 AC-40/0.3 FH202 AC-40/0.3 Residual Current Circuit Breaker



General Information	
Extended Product Type	FH202 AC-40/0.3
Product ID	2CSF202003R3400
EAN	8012542893103
Catalog Description	FH202 AC-40/0.3 Residual Current Circuit Breaker
Long Description	The RCCBs FH200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous AC and A types is particularly suitable for installation in domestic applications.

Eco Transparency	
Environmental Product	9AKK108467A3700
Declaration - EPD	

Technical	
Standards	IEC/EN 61008
Type of Residual Current	AC type
Rated Voltage (U _r)	230 V
Rated Operational Voltage	230 V
Rated Insulation Voltage (U_i)	500 V
Rated Impulse Withstand Voltage (U_{imp})	4 kV
Rated Current (I _n)	40 A
Rated Residual Current	300 mA

FH202 AC-40/0.3

Rated Service Short- Circuit Breaking Capacity	1 kA
(I _{cs})	
Maximum Surge Current	0.25 kA
Leakage Current Type	AC
Rated Frequency (f)	50 H:
Power Loss	at Rated Operating Conditions per Pole 2.4 V
Number of Poles	:
Operating Characteristic	Instantaneou
Mounting Type	DIN ra
Options Provided	None
Accessories Available	No.
Rated Cross-Section	4 - Multi-Wired 1025 mm 1 - Solid-Core 2525 mm
Environmental	
	-2555 °C
Ambient Air Temperature	-2555 °C Operation -5 +40 °C
Ambient Air Temperature	Operation -5 +40 °C Storage -40 +70 °C
Degree of Protection	IP2)
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Environmental Information	Refer to RoHS
Technical III /CSA	
Technical UL/CSA	
Short-Circuit Current Rating (SCCR)	0.37
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of	0.3 /
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings	
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width	35 mr
Short-Circuit Current Rating (SCCR) Dimensions	35 mr 69 mr
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth /	35 mr 69 mr 85 mr
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight	35 mr 69 mr 85 mr 0.2 k
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂)	35 mr 69 mr 85 mr 0.2 k
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information	35 mr 69 mr 85 mr 0.2 kr 69 mr
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units	
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Width	35 mr 69 mr 85 mr 0.2 kr 69 mr
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth /	35 mr 69 mr 85 mr 0.2 kr 69 mr box 1 piece 80 mr
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Depth / Length Package Level 1 Gross Weight	35 mn 69 mn 85 mn 0.2 kr 69 mn box 1 piecr 80 mn 41 mn 94 mn
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Torss Weight Package Level 1 Gross Weight Package Level 1 EAN	35 mr 69 mr 85 mr 0.2 kr 69 mr box 1 piece 80 mr 41 mr 94 mr 0.236 kr
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units	35 mr 69 mr 85 mr 0.2 kr 69 mr 41 mr 94 mr 0.236 kr 801254289310 box 6 pieci
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units Package Level 2 Width	35 mr 69 mr 85 mr 0.2 k 69 mr box 1 piec 80 mr 41 mr 94 mr 0.236 k 801254289310 box 6 piec 96 mr
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Faks Package Level 1 Gross Weight Package Level 2 Units Package Level 2 Width Package Level 2 Height	35 mr 69 mr 85 mr 0.2 k 69 mr 41 mr 94 mr 0.236 k 801254289310 box 6 piec 96 mr 85 mr
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units Package Level 2 Depth / Length	35 mr 69 mr 85 mr 0.2 k 69 mr box 1 piece 80 mr 41 mr 94 mr 0.236 ke 801254289310 box 6 piece 96 mr 85 mr
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units Package Level 2 Height Package Level 2 Height Package Level 2 Height Package Level 2 Depth /	35 mr 69 mr 85 mr 0.2 kr 69 mr box 1 piece 80 mr 41 mr 94 mr

Ordering

FH202 AC-40/0.3

 Minimum Order Quantity
 1 piece

 Customs Tariff Number
 85363030

 Country of Origin
 Italy (IT)

Certificates and Declarations (Document Number)	
Declaration of Conformity - CE	9AKK106713A5603
Environmental Information	Refer to RoHS
Environmental Product Declaration - EPD	9AKK108467A3700
Instructions and Manuals	No document needed
RoHS Information	9AKK106713A5603

Popular Downloads	
Data Sheet, Technical Information	2CSC400030D0202
Instructions and Manuals	No document needed

Classifications	
ETIM 7	EC000003 - Residual current circuit breaker (RCCB)
ETIM 8	EC000003 - Residual current circuit breaker (RCCB)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363030
eClass	V11.0 : 27142201
Object Classification Code	<u>F</u>

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Residual\ Current\ Devices\ RCDs \rightarrow Residual\ Resi$

