

PRODUCT-DETAILS

FH202 AC-63/0.3 FH202 AC-63/0.3 Residual Current Circuit Breaker



General Information	
Extended Product Type	FH202 AC-63/0.3
Product ID	2CSF202003R3630
EAN	8012542893202
Catalog Description	FH202 AC-63/0.3 Residual Current Circuit Breaker
Long Description	The RCCBs FH200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous AC and A types is particularly suitable for installation in domestic applications.

Eco Transparency	
Environmental Product	9AKK108467A3700

Technical	
Standards	IEC/EN 61008
Type of Residual Current	AC type
Rated Voltage (U _r)	230 V
Rated Operational Voltage	230 V
Rated Insulation Voltage (U_i)	500 V
Rated Impulse Withstand Voltage (U_{imp})	4 kV
Rated Current (I _n)	63 A
Rated Residual Current	300 mA

FH202 AC-63/0.3

Rated Service Short- Circuit Breaking Capacity	1 kA
(I _{cs})	
Maximum Surge Current	0.25 kA
Leakage Current Type	AC
Rated Frequency (f)	50 Hz
Power Loss	at Rated Operating Conditions per Pole 3.2 W
Number of Poles	2
Operating Characteristic	Instantaneous
Mounting Type	DIN rail
Options Provided	None
Accessories Available	No
Rated Cross-Section	4 - Multi-Wired 1025 mm² 1 - Solid-Core 2525 mm²
Environmental	
Ambient Temperature	-2555 °C
Ambient Temperature Ambient Air Temperature	-2355 C Operation -5 +40 °C
Ambient Air Temperature	Storage -40 +70 °C
Degree of Protection	IP2X
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Environmental Information	Refer to RoHS
Technical UL/CSA	
Technical UL/CSA Short-Circuit Current Rating (SCCR)	0.3 A
Short-Circuit Current Rating (SCCR)	0.3 A
Short-Circuit Current	
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of	2
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings	2 35 mm
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length	35 mm 69 mm 85 mm
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth /	35 mm 69 mm 85 mm
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length	35 mm 69 mm 85 mm
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight	2 35 mm 69 mm 85 mm 0.2 kg
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂)	2 35 mm 69 mm 85 mm 0.2 kg 69 mm
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information	2 35 mm 69 mm 85 mm 0.2 kg 69 mm
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Width	2 35 mm 69 mm 85 mm 0.2 kg 69 mm
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length	2 35 mm 69 mm 85 mm 0.2 kg 69 mm box 1 piece 80 mm 41 mm 94 mm
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Depth / Length Package Level 1 Depth / Length Package Level 1 Depth / Length Package Level 1 Gross Weight	0.3 A 2 35 mm 69 mm 85 mm 0.2 kg 69 mm box 1 piece 80 mm 41 mm 94 mm 0.236 kg
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN	2 35 mm 69 mm 85 mm 0.2 kg 69 mm box 1 piece 80 mm 41 mm 94 mm 0.236 kg 8012542893202
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units	2 35 mm 69 mm 85 mm 0.2 kg 69 mm box 1 piece 80 mm 41 mm 94 mm 0.236 kg 8012542893202 box 6 piece
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units	2 35 mm 69 mm 85 mm 0.2 kc 69 mm box 1 piece 80 mm 41 mm 94 mm 0.236 kg 8012542893202 box 6 piece 96 mm
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units Package Level 2 Width Package Level 2 Height	2 35 mm 69 mm 85 mm 0.2 kc 69 mm box 1 piece 80 mm 41 mm 94 mm 0.236 kg 8012542893202 box 6 piece 96 mm 85 mm
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units Package Level 2 Units Package Level 2 Units Package Level 2 Height Package Level 2 Height Package Level 2 Height Package Level 2 Depth / Length	235 mm 69 mm 85 mm 0.2 kg 69 mm box 1 piece 80 mm 41 mm 94 mm 0.236 kg 8012542893202 box 6 piece 96 mm 85 mm 240 mm
Short-Circuit Current Rating (SCCR) Dimensions Width in Number of Modular Spacings Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN Package Level 2 Units Package Level 2 Units Package Level 2 Width Package Level 2 Height Package Level 2 Depth /	2 35 mm 69 mm 85 mm 0.2 kg 69 mm box 1 piece 80 mm 41 mm 94 mm

Ordering

FH202 AC-63/0.3

 Minimum Order Quantity
 1 piece

 Customs Tariff Number
 85363030

 Country of Origin
 Italy (IT)

Certificates and Declarations (Document Number)	
Declaration of Conformity - CE	9AKK106713A5603
Environmental Information	Refer to RoHS
Environmental Product Declaration - EPD	9AKK108467A3700
Instructions and Manuals	No document needed
RoHS Information	9AKK106713A5603

Popular Downloads	
Data Sheet, Technical Information	2CSC400030D0202
Instructions and Manuals	No document needed

Classifications	
ETIM 7	EC000003 - Residual current circuit breaker (RCCB)
ETIM 8	EC000003 - Residual current circuit breaker (RCCB)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363030
eClass	V11.0 : 27142201
Object Classification Code	<u> </u>

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Residual\ Current\ Devices\ RCDs \rightarrow Residual\ Resi$





