



Enclosures and mounting boxes: Flush junction box 116x92x50mm

V70002

Enclosures and mounting boxes / Junction flush mounting boxes / Mounting boxes

Flush junction box 116x92x50mm

Flush mounting junction box with white cover and fixing screws. Dimensions 116x92x50 mm

Product Status

3 - Active

Minimum order quantity

70 NR

You may also be interested in






V70102 - High-resistance cover for V70002-V70003


V70191 - Joint plate for junction boxes yellow



Drawings



Space view



Backside view





Technical data

- Class group: Connection devices
- Class: Box/housing for built-in mounting in the wall/ceiling
- Mounting method: Flush mounted (plaster)
- Shape: Rectangular
- **Construction type**: Device connection box (round/square)
- Model: Other
- Provided with revolving ring: No
- **Connectable**: Yes
- Equipped with: None
- Diameter: 0 mm
- Length: 116,00 mm
- Width: 142,00 mm
- Depth: 0,00 50,00 mm
- Internal depth: 50,00 mm
- For number of electric fittings: 0
- Mounting switching equipment: Spread
- With screws: No
- Housing feed-through by break-out opening: Yes
- Housing feed-through by seal membrane: No
- Housing feed-through by nozzle: No
- Housing feed-through by step membrane: No
- For tube diameter: Other
- Pipe locking: No
- Certifications
 - 00. CE Marking EU
 - 01. IMQ Italy (download)
 - 37. Marking Morocco

- 43. UKCA mark Great Britain
- 96. Electrotechnical expert (download)

Packaging



Code	8007352082007
Quantity	1 NR
Dim.	14.2x11.8x5.5 [cm]
Weight	97 [g]



8007352115590 Quantity 70 NR 59x38.5x30 [cm] Weight 7,628.67 [g]

Code

Dim.



Code 8007352352490 Quantity 1.680 NR 80x120x193 [cm] Dim. Weight 185,000 [g]

- Pipe locking optional: No
- Inlet from the rear: Yes
- Number of inlets: 12
- Number of included spouts: 0
- Material: Plastic
- Halogen free: Yes
- Surface protection: Untreated
- Colour: Blue
- Degree of protection (IP): IP00
- Cover model: Blind cover
- Transparent cover: No
- Cover attachment: Screwed
- Sealable: No
- Circuit integrity: None
- With screening: No
- Air tight: No
- Max. conductor cross section: 0
- Number of poles of the clamp: 0
- Clamp position fixed: No
- Luminaire hook mounting: No
- Nozzle: None
- With nail lugs: No
- Special application: None

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.